

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	83537	((("3" or three) near2 (dimension\$3)) or ("3d" or "3-d")) same imag\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/08 16:41
L2	23913	((("3" or three) near2 (dimension\$3)) or ("3d" or "3-d")) near7 (render\$3 or reconstruct\$3 or construct\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/08 16:52
L3	1408	2 with (parameter or coefficient or value)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/08 16:42
L4	654	2 with (parameter or coefficient)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/08 16:47
L5	13	4 with file	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/08 16:42
L6	398	2 near7 (parameter or coefficient)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/08 16:51
L7	242	1 same 6	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/08 16:51
L8	168	7 and (@rlad<"20010307" or @ad<"20010307")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/08 16:51

L9	318	2 near5 (parameter or coefficient)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/08 16:53
L10	196	1 same 9	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/08 16:51
L11	142	10 and (@rlad<"20010307" or @ad<"20010307")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/08 16:53
L12	5697	((("3" or three) near2 (dimension\$3)) or ("3d" or "3-d")) near7 (reconstruct\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/08 16:52
L13	124	12 near5 (parameter or coefficient)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/08 16:53
L14	85	13 and (@rlad<"20010307" or @ad<"20010307")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/08 16:59
L15	2	"6379041".pn. and parameter	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/08 18:07
L16	1	("6196715").PN.	USPAT	OR	OFF	2005/01/08 18:07

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S88	67388	((("3" or three) near2 (dimension\$3)) same imag\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/06 19:43
S89	394	S88 and ((volume with surface) with render\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/06 19:14
S90	9	S89 and "PACS"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/06 18:52
S91	148	S88 same ((volume with surface) with render\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/06 19:14
S92	93	S91 and (@rlad<"19990401" or @ad<"19990401")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/06 19:25
S93	16	S88 same (("MPR" or "MPVR") and "MIP")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/06 19:20
S94	3	S93 and (@rlad<"19990401" or @ad<"19990401")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/06 19:23
S95	137	S88 same (render\$3 near5 parameter)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/06 19:24

S96	94	S88 same (((("3" or three) near2 (dimension\$3)) with (render\$3 near5 (parameter or coefficeint)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/06 19:44
S97	34	S96 and (@rlad<"19990401" or @ad<"19990401")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/06 19:31
S98	2	"5963211".pn. and parameters	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/06 19:31
S99	0	S88 same (((("3" or three) near2 (dimension\$3)) with (render\$3 near5 (parameter or coefficeint))) with file)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/06 19:34
S10 0	83537	((("3" or three) near2 (dimension\$3)) or ("3d" or "3-d")) same imag\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/08 16:41
S10 1	98	S88 same (((("3" or three) near2 (dimension\$3)) or ("3d" or "3-d")) with (render\$3 near5 (parameter or coefficeint)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/06 19:45
S10 2	4	S101 not S96	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/06 19:44
S10 3	3	((("3" or three) near2 (dimension\$3)) or ("3d" or "3-d")) with (render\$3 near5 (parameter or coefficeint))) with file	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/06 19:46
S10 4	1	("6370413").PN.	USPAT	OR	OFF	2005/01/06 19:46

S10 5	8	("5628320" "5797845" "5876342" "5928151" "5986662" "6005592" "6083162" "6144384").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/01/06 19:47
----------	---	--	------------------------------	----	-----	------------------